

WHAT IS CLAIMED IS:

1 *Sub*
2 *part*

1. A detection apparatus for the detection of a
media link embedded in a program comprising:
a tuner tuned to the program; and,
a meter coupled to the tuner and arranged to
detect the media link embedded in the program tuned by the
tuner.

2. The detection apparatus of claim 1 wherein
the tuner comprises a scanning tuner.

3. The detection apparatus of claim 2 wherein
the scanning tuner tunes to a plurality of channels, and
wherein the meter is arranged to detect media links from
programs carried in the tuned channels.

4. The detection apparatus of claim 1 further
comprising a program identifier, wherein the program
identifier is arranged to identify the program directly from
the media link.

1 5. The detection apparatus of claim 1 further
2 comprising a program identifier, wherein the program
3 identifier is arranged to identify the program by accessing
4 a content provider.

24
1 6. The detection apparatus of claim 1 further
2 comprising a program identifier, wherein the program
3 identifier is arranged to received a manual identification
4 of the program.

1 7. The detection apparatus of claim 1 wherein
2 the media link is a URL.

1 8. The detection apparatus of claim 1 wherein
2 the media link is a code referenced to a URL.

1 9. The detection apparatus of claim 1 wherein
2 the media link is a trigger.

1 10. A data acquisition system for the acquisition
2 of identifying data from a program comprising:
3 a tuner tuned to the program; and,
4 a meter coupled to the tuner and arranged to
5 capture first and second program identifying datum
6 identifying the program tuned by the tuner, wherein the
7 first program identifying datum is a media link embedded in
8 the program, and wherein the second program identifying
9 datum is a program identifying datum other than a media
10 link.

1 11. The data acquisition system of claim 10
2 wherein the tuner comprises a scanning tuner.

1 12. The data acquisition system of claim 11
2 wherein the scanning tuner tunes to a plurality of channels,
3 wherein the meter is arranged to capture media links from
4 programs in the tuned channels, and wherein the meter is
5 arranged to capture second program identifying data
6 identifying programs in the tuned channels.

1 13. The data acquisition system of claim 10
2 further comprising a program identifier arranged to identify
3 the program from the first and/or second program identifying
4 data.

CL 4
Cont
1 14. The data acquisition system of claim 13
2 wherein the program identifier is arranged to identify the
3 program by comparing the first and/or second program
4 identifying data to corresponding first and/or second
5 reference identifying data.

1 15. The data acquisition system of claim 10
2 wherein the second program identifying datum is a signature
3 extracted from the program.

1 16. The data acquisition system of claim 10
2 wherein the data acquisition system is arranged to keep the
3 second program identifying datum only if the meter fails to
4 acquire the first program identifying datum.

1 17. The data acquisition system of claim 10
2 further comprising a program identifier, wherein the program
3 identifier is arranged to identify the program directly from
4 the media link.

2 18. The data acquisition system of claim 10
3 further comprising a program identifier, wherein the program
4 identifier is arranged to identify the program by accessing
a content provider.

1 19. The data acquisition system of claim 10
2 further comprising a program identifier, wherein the program
3 identifier is arranged to receive a manual identification of
4 the program.

1 20. The data acquisition system of claim 10
2 wherein the media link is a URL.

1 21. The data acquisition system of claim 10
2 wherein the media link is a code referenced to a URL.

1 22. The data acquisition system of claim 10
2 wherein the media link is a trigger.

1 23. The data acquisition system of claim 10
2 wherein the meter is arranged to capture the second program
3 identifying datum from the program only in the event that
4 the meter is unable to capture the first program identifying
5 datum from the program.

1 24. A program identification system comprising:
2 a tuner tunable to at least one of a plurality of
3 channels;
4 a meter coupled to the tuner, wherein the meter is
5 arranged to detect content ancillary information from a
6 program carried in a channel tuned by the tuner and to
7 extract a broadcast signature from the program; and,
8 a comparator arranged to compare the broadcast
9 signature to a reference signature, wherein the reference
10 signature is selected from a library of reference signatures
11 based upon the content ancillary information.

1 25. The program identification system of claim 24
2 wherein the content ancillary information is a media link.

A4
Cont
2 26. The program identification system of claim 25
wherein the media link is a URL.

1 27. The program identification system of claim 25
2 wherein the media link is a code referenced to a URL.

1 28. The program identification system of claim 25
2 wherein the media link is a trigger.

1 29. The program identification system of claim 24
2 wherein the content ancillary information is closed
3 captioning information.

1 30. The program identification system of claim 24
2 wherein, if the broadcast signature does not have associated
3 content ancillary information, the comparator is arranged to
4 compare the broadcast signature to a reference signature

5 selected from a library of reference signatures based upon a
6 hash code.

a4
Cont
1 31. The program identification system of claim 24
2 wherein the reference signature includes an identification
3 of the program.

1 32. The program identification system of claim 24
2 wherein the broadcast signature includes the channel and a
3 time at which the broadcast signature is extracted.

1 33. The program identification system of claim 32
2 wherein the reference signature includes an identification
3 of the program.

1 34. A method of clustering signatures comprising
2 the following:

- 3 a) extracting broadcast signatures from programs;
4 b) detecting content ancillary information from
5 the programs; and,

6 c) comparing one of the broadcast signatures
7 having content ancillary information associated therewith
8 only to others of the broadcast signatures having associated
9 therewith substantially the same content ancillary
10 information.

1 35. The method of claim 34 wherein the comparison
2 of broadcast signatures comprises the following:

3 comparing the one broadcast signature to others of
4 the broadcast signatures not having associated therewith any
5 content ancillary information.

1 36. The method of claim 34 wherein the one
2 broadcast signature is a first broadcast signature, and
3 wherein the comparison of broadcast signatures comprises the
4 following:

5 comparing a second broadcast signature to others
6 of the broadcast signatures not having content ancillary
7 information associated therewith, wherein the second
8 broadcast signature also does not have content ancillary
9 information associated therewith.

2 ancillary information is a media link.

2 is a URL.

2 is a code referenced to a URL.

2 is a trigger.

2 ancillary information is closed captioning information.

5 ancillary information.

1 43. The method of claim 42 wherein the content
2 ancillary information is a media link.

1 44. The method of claim 43 wherein the media link
2 is a URL.

1 45. The method of claim 43 wherein the media link
2 is a code referenced to a URL.

1 46. The method of claim 43 wherein the media link
2 is a trigger.

1 47. The method of claim 42 wherein the content
2 ancillary information is closed captioning information.

ADD A4